



# HD-TVI+ RANGE



### GT862TVI

2.1 Megapixel CMOS Sensor  
Full HD-TVI @ 1080P (1920 x 1080)  
3.6mm Lens  
0.001 Lux, F1.2  
12v DC, 300mA



### GT762TVI

2.1 Megapixel Sony CMOS 1/2" Sensor  
Full HD-TVI @ 1080P (1920 x 1080)  
3.7mm Lens  
TVI & CVBS video output mode  
3D DNR  
12v DC 500mA



### GT612TVI

2.1 Megapixel Aptina Sensor  
Full HD-TVI @ 1080P (1920 x 1080)  
20m IR, 3.6mm Lens  
ICR (IR Cut Filter)  
DNR, Min Illumination @ 0.001 Lux  
12V, 300 mA  
IP66



### GT896TVI

2.1 Megapixel Aptina Sensor  
Full HD-TVI @ 1080P (1920 x 1080)  
30m IR, 2.8-12mm Lens  
ICR (IR Cut Filter)  
DNR, Min Illumination @ 0.001 Lux  
12V, 700 mA  
IP66

**NEW**

All-in-One  
TVI CVI AHD ANALOGUE



### GT999UNI

1/2.9" CMOS  
2 Megapixel, 25fps @ 1080p  
AHD/TVI/ CVI/ ANALOGUE 1080p  
2.8-12mm Lens, 25m Smart IR  
Mechanic True Day & Night  
IP66  
Built-in cable management base



### GT777TVIPRO

2.1 Megapixel CMOS Sensor  
Full HD-TVI @ 1080P (1920 x 1080)  
30m IR, 3.6mm Lens  
ICR (IR Cut Filter)  
OSD Over Coax  
DNR, Min Illumination @ 0.1 Lux  
12V DC



### GTNV40TVI

2.1 Megapixel Aptina Sensor  
Full HD-TVI @ 1080P (1920 x 1080)  
40m IR, 2.8-12mm Lens  
ICR (IR Cut Filter)  
3D DNR, Min Illumination @ 0 Lux  
12V DC  
IP66



### GTNV60TVI

2.1 Megapixel CMOS Sensor  
Full HD-TVI @ 1080P (1920 x 1080)  
60m IR, 2.8-12mm Lens  
ICR (IR Cut Filter)  
DNR, Min Illumination @ 0.001 Lux  
12V, 700 mA  
IP66

23x Optical Zoom

100m IR Range



### GTSP23TVI

2.1 Megapixel CMOS Sensor  
Full HD-TVI @ 1080P (1920 x 1080)  
4-92mm Lens, 100m IR (ICR)  
23x Optical Zoom, 16x Digital Zoom  
Coaxitron, 3D -DNR, D-WDR,  
360° endless, 12V DC  
Wall Bracket & Power Supply Included

30x Optical Zoom  
120m IR Range



### GTSP30TVI

2.1 Megapixel CMOS Sensor  
Full HD-TVI @ 1080P (1920 x 1080)  
4-120mm Lens, 120m IR (ICR)  
30x Optical Zoom, 16x Digital Zoom  
Coaxitron, 3D -DNR, D-WDR,  
360° endless, 24V AC  
Wall Bracket & Power Supply Included

## OPTIONAL ACCESSORIES



**GTVBHD**  
HD Passive Video Balun



**GTHDCATVP**  
HD Passive Video Balun (Power)



**GTBASE**  
GT896TVI Base Bracket



**GTWB**  
GT896TVI Wall Bracket



**VSDB-03**  
GTSP30TVI Pole Mount Bracket



**VSDB-04**  
GTSP30TVI Corner Mount Bracket



**GTTVIKEY**  
RS-485 PTZ Controller

# AES

## SERAGE HD-TVI+ RANGE

**G-TEC**  
HOME OF SERAGE

MADE IN  
KOREA

HD-TVI  
1080p



### SRTVI-ID37

1/2.7" CMOS (2MP)  
Full HD-TVI @ 1080P (1920 x 1080)  
30m IR (30pcs IR LED)  
3.6mm Lens  
True D&N (ICR), 2D DNR  
3 Axis Bracket  
DC 12V

ANALOGUE OUTPUT  
FOR TEST MONITOR

PREMIUM  
HD-TVI  
1080p



### SRTVI-IDVF **WDR**

1/2.7" CMOS (2MP)  
Full HD-TVI @ 1080P (1920 x 1080)  
30m IR (30pcs IR LED)  
2.8-12mm Lens, True D&N (ICR)  
2D DNR, **Defog, True WDR**  
3 Axis Bracket  
DC 12V

HD-TVI  
1080p



### SRTVI-VD37/B

1/2.7" Progressive CMOS (2MP)  
Full HD-TVI @ 1080P (1920 x 1080)  
30m IR (32pcs IR LED)  
3.6mm Lens, True D&N (ICR)  
2D & 3D DNR  
3 Axis Bracket  
DC 12V, IP68

HD-TVI  
1080p



### SRTVI-VD37/W

1/2.7" Progressive CMOS (2MP)  
Full HD-TVI @ 1080P (1920 x 1080)  
30m IR (32pcs IR LED)  
3.6mm Lens, True D&N (ICR)  
2D & 3D DNR  
3 Axis Bracket  
DC 12V, IP68

HD-TVI  
1080p



### SRTVI-B37

1/2.7" CMOS (2MP)  
Full HD-TVI @ 1080P (1920 x 1080)  
30m IR, 3.7mm Lens, Day & Night (ICR)  
DNR, OSD  
Min Illumination @ 0.5 Lux  
12V, 450 mA  
IP68

ANALOGUE OUTPUT  
FOR TEST MONITOR

PREMIUM  
HD-TVI  
1080p



### SRTVI-BVF **WDR**

1/3" Progressive Panasonic (2MP)  
Full HD-TVI @ 1080P (1920 x 1080),  
WDR, 40m IR (42pcs IR LED)  
2.8-12mm Lens, True D&N (ICR)  
2D & 3D DNR, **Defog**  
3 Axis Bracket  
DC 12V, IP68

Advanced IR LED 6 pcs  
**70m**  
SMART IR  
ANTI IR  
REFLECTION

NEW



Built-in Base

### SRTVI-BVF70/D **WDR**

1/2.9 inch SONY CMOS (2MP)  
Full HD-TVI @ 1080p (1920 x 1080)  
WDR (Wide Dynamic Range)  
70m Smart IR  
High Performance Anti IR Reflection  
2.8-12mm Auto Iris Lens  
True D&N (ICR)

Defog Feature  
Digital Noise Reduction (DNR)  
Multi Language OSD  
IP68  
Built-in Base  
**DC 12V / AC 24C**  
**Analogue Output as a Second Cable**

PREMIUM  
HD-TVI  
1080p

## OPTIONAL ACCESSORIES



**GTVBHD**  
HD Passive Video Balun



**GTHDCATVP**  
HD Passive Video Balun (Power)



**SRTVIBW**  
Vandal Dome Base Bracket



**SRTVIBB**  
Vandal Dome Base Bracket



**SRTVIWWB**  
Vandal Dome Wall Bracket



**SRTVIBWB**  
Vandal Dome Wall Bracket

### SRTVIVDPRO - HI-POWER LED VANDAL DOME CAMERA

- 1/2.9 inch SONY CMOS (2MP)
- Full HD-TVI @ 1080p (1920 x 1080)
- WDR (Wide Dynamic Range)
- Smart 50m IR (0 Lux at IR On - IR LED 04 pcs)
- High Performance Anti IR Reflection
- 2.8-12mm Auto Iris Lens, True D&N (ICR)
- Defog, Digital Noise Reduction
- Multi Language OSD
- DC 12V
- IP68
- Built-in Base
- **Analogue Output as a Second Cable**



### SRTVI-BVF/120 - HI-POWER LED BULLET CAMERA

- 1/2.9 inch SONY CMOS (2MP)
- Full HD-TVI @ 1080p (1920 x 1080)
- WDR (Wide Dynamic Range)
- Smart 120m IR (ADVANCED IR LED 12 pcs)
- High Performance Anti IR Reflection
- 6-50mm Auto Iris Lens, True D&N (ICR)
- Defog, Digital Noise Reduction
- Multi Language OSD
- IP68
- Built-in Base
- **DC 12V / AC 24C**
- **Analogue Output as a Second Cable**



## 4, 8 & 16 CH TURBO 3.0 TVI DVRs

Playback 12fps @ 1080p per camera

- H.264+/H.264 Dual-stream video compression (VT532TVI: H.264 Only)
- Supports HD-TVI, AHD, IP & Analogue (**VT532: NO AHD**)
- Recording @ 1080p resolution
- Synchronous playback at 1080p resolution
- Two-way audio
- **Simultaneous HDMI, VGA & BNC outputs (VT532: NO BNC)**
- **VCA (Video content analytics) - Line crossing detection & intrusion detection**
- Smart VCA (Video content analytics) search
- RS-485 for PTZ control, Playback at up to 256x
- Ethernet support for remote access
- Local Data Export via Network / USB
- 1 Audio In & 1 Audio Out (VT532TVI: 4 Audio In & 1 Audio Out)
- Up to 16 ch Alarm In & 4 ch Alarm Out
- Supports Mobiles – iPhone/ iPad, Android
- Up to 4TB HDD (VT532TVI: Up to 24TB HDD)
- **Immix Compatible**

3MP READY

ANALOGUE

HD-TVI

AHD

IP

VT504TVI (4 CH), VT508TVI (8 CH) & VT516TVI (16 CH)



GT532TVI (32 CH)



FREE APP **GUARDING EXPERT**

## 4, 8 & 16 CH TVI TURBO HD+ DVRs

Playback 25fps @ 1080p per camera

- Connectable to HD-TVI, Analogue and Network cameras
- Simultaneous HDMI and VGA outputs at up to 1920x1080P resolution
- BNC Output (**GT716TVI Only**)
- Redundant recording and holiday recording
- Instant playback for assigned camera during multi-channel live view mode
- Supports up to 16 ch synchronous playback at 1080P resolution; and reverse playback for multi-camera
- Smart playback to go through less effective information
- Customization of tags, searching and playing back by tags
- Locking and unlocking record files
- Supports HDD quota and group management; different capacity can be assigned to different cameras under quota mode
- 4 Audio In/ 1 Audio Out
- Up to 16 Alarm In/ 4 Alarm Out
- Up to 1 self-adaptive 10M/100M/1000M network interface
- Network detection function
- Support DDNS & P2P
- **Immix Compatible**

GT704TVI (4 CH)



GT708TVI (8 CH)



GT716TVI (16 CH)



FREE APP **GUARDING EXPERT**